



System 1 Software

Datasheet


Bently Nevada Machinery Management

108M5214 Rev. AR

Offering plant-wide condition monitoring insights to reduce risk, increase productivity, and minimize unplanned downtime.

System 1 streamlines decision-making processes by bringing machine data into a single platform, providing clarity and context to your operations and enterprise. Harnessing the power of Bently Nevada's decades of machinery research and advanced diagnostics expertise, this powerful tool is a key component of successful digital transformation in any industrial facility. By combining its **Connectivity, Analytics, and Visualization** capabilities, System 1 is the premier Edge historian and condition monitoring platform among industrial operators.

System 1 brings it all together




Bently Nevada has a rich heritage in helping customers solve industrial maintenance challenges that is over 60 years strong. Through user research in 25 countries with more than 500 end users, we have studied our customers' team dynamics, site processes, and technology suites to determine how System 1 can best support plant-wide machinery management. The resulting platform is the most comprehensive and user-intuitive condition monitoring solution ever developed.

Connectivity + Analytics + Visualization = A Complete Solution



Connectivity



System 1 connects to data sources on the Edge and collects high resolution vibration, process, and control system data. This data can be collected at up to once-per-second from a Bently Nevada Device, such as 3500 or Ranger Pro, from a Programmable Logic Controller (PLC), or from another Historian. In addition, an alarm on any tag mapped to a machine will trigger high-resolution data capture from all other tags, which includes 100ms static data from Bently Nevada's 3500 and Orbit 60 Series devices.



Analytics

Within System 1, threshold alarms can be configured per machine operating state, with adjustable settings for time delay, latching, and suppression. Four levels of alarm setpoints can be configured per measurement, regardless of the source of the data (e.g., Bently Device, OPC, Modbus). Decision Support extends the analytic capabilities of System 1, enabling users to build custom rules for deeper insights into the behavior of their machines and enhanced knowledge across plants or entire enterprises. Bently Performance further expands analytic capabilities within System 1 by offering online thermodynamic performance monitoring.




Decision Support




Bently Performance



Visualization



Post collection and analysis, System 1 provides best-in-class visualization tools. The HMI builder allows users to graphically represent their entire Plant System using the built-in symbol library. The HMI view graphically depicts operational health, allowing users to focus on their high priority assets. Collected data can be viewed and manipulated within the plotting workspace, enabling users to diagnose machinery health issues. With a multitude of plot types and tools, users can quickly identify abnormalities and assess their impact on the smooth operation of their facility.



General Capabilities

Distributed Client/Server Deployment

- TCP/IP Client to Server Communication (Ports 7550 and 7551)
- Clients can connect to five different condition monitoring databases simultaneously on a server.
- A single Server 1 server can support online data collection for up to 5 databases.
- System performance tested with 5 simultaneous client connections to one online database.

Data Replication

- Access System 1 on the business network by replicating data across a data diode or firewall.
- Reduce Cyber Security risks to an acceptable level.

User Security Roles

- Leverages Windows Domain and local accounts
- Administrator Role (Read, Write, Database Management)
- Advanced Role (Read, Write)
- Basic Role (Read Only)
- Users with the Edit Settings right can modify the settings for the Advanced and Basic roles.
- Users with server administrator privileges can add new user-defined roles.

Database and Server Capacity

- System 1 Server can run five online condition monitoring databases.
- The System 1 Server can contain multiple portable databases in addition to the online databases.
- Each condition monitoring database can contain a maximum of 5000 pieces of equipment. (Motor + Pump = 2)
- Embedded PostgreSQL for data storage and management
- Edit Trend, Alarm, and Transient Data Store sizes and monitor health over time to avoid losing data. Available only for online data.

Display Unit Preferences

Effortlessly switch between As Configured, Imperial, and SI unit systems from Display.

System Specifications and Recommendations

Standard Server	<p>Racks: Dual Intel Xeon 4208 8-core, 2.1GHz Processors, 16 cores total, 32 logical processors</p> <p>Towers: Dual Intel Xeon 4210 10-core, 2.2GHz Processors, 20 cores total, 40 logical processors</p> <p>64 GB RAM or above Operating System Hard Disk: RAID 1 & 300 GB – 10000 RPM Historian Hard Disk: RAID 6 – 10,000 RPM DVD-RW</p>
Light Server	<p>Rack: Single Intel Xeon 4208 8-core, 2.1GHz Processors, 8 cores total, 16 logical processors</p> <p>Tower: Single Intel Xeon 4210 10-core, 2.2GHz Processors, 10 cores total, 20 logical processors</p> <p>16 GB RAM or above Operating System Hard Disk: RAID 1 & 300 GB – 10,000 RPM Historian Hard Disk: RAID 6 & 1.2 TB– 10,000 RPM DVD-RW</p>
Workstation	<p>Intel Xeon W-2123 (3.6 GHz Processor)</p> <p>16 GB RAM or above 1 GB Graphics Card 1 TB Hard Drive – 7200 RPM DVD-RW</p>
Laptop	<p>i7 – 8850H (2.6 GHz Processor) 6 cores</p> <p>16 GB RAM or above HD Graphics Card 512GB Solid State Drive DVD-RW</p>
Virtualized Systems	<p>Refer to Virtualized Systems Technical White Paper, document number 125M6425.</p>
Network speed	<p>Minimum 100 Mbps recommended</p>
Supported Operating Systems	<p>Microsoft Windows® 2022 Server Standard Edition 64 bit Microsoft Windows® 2019 Server Standard Edition 64 bit Microsoft Windows® 2016 Server Standard Edition 64 bit Microsoft Windows® 11 Professional 64 bit (22H2, 21H2)† Microsoft Windows® 10 Professional 64 bit (22H2, 21H2)†</p> <p>† Recommended for Client</p>

System 1 Ordering

Package Types

System 1 can be ordered in three different package types:


Asset-Based: Order by condition monitoring criticality and quantity of assets.



Industry-Based: Order by application industry and size. Includes unlimited data import across all devices.



Device-Based: Order by type and quantity of devices.



- 1 = 3500
- 2 = 2300
- 3 = Orbit 60
- 4 = Orbit DCM
- 5 = vbOnline Pro
- 6 = TrendMaster
- 7 = RangerPro
- 8 = SCOUT
- 9 = Process Data Import/Export (Examples: OPC DA/UA, MODBUS)

License Types

All System 1 Packages can be ordered as Perpetual or Subscription. While System 1 functionality is identical for both license types, key structural differences exist:

Perpetual Type

- Larger upfront investment (one-time CAPEX)
- Must purchase support and updates (M&S) separately (OPEX lower than Subscription)
- Software license does not expire
- Support and updates cease if M&S is cancelled

Subscription Type

- Smaller upfront investment (flat year-over-year OPEX)
- Subscription license fee includes support and updates
- Software stops working if subscription is cancelled

Additional Information

What is a System 1 Display Client?

A System 1 Display Client can connect to the System 1 Server residing locally on the same computer or remotely via network access. Local clients can have full access to the condition monitoring database. Remote clients can connect to a condition monitoring database only when direct or networked access to the server is available.

What is a System 1 Server?


A System 1 Server may contain one or more condition monitoring databases accessible from one or more Display Clients. Historical data and configuration structure reside on the server. Hence, the databases are always available.

What are + packages?

When ordering by device, a base package must be selected. Select the System 1 Premium+ and Advanced+ packages to use portable data collectors in addition to online devices.

Package	Online Continuous CM	Scanning & Process CM	Portable CM
Premium+	✓	✓	✓
Premium	✓	✓	
Advanced+		✓	✓
Advanced		✓	
Fundamental			✓

Asset-Based Packages



Asset-Based Packages are ordered by condition monitoring asset criticality and quantity, with four asset categories:

Category A Assets

- High criticality assets
- Dedicated online continuous monitoring & protection

Category B Assets

- Essential Assets
- Dedicated online-periodic monitoring or shared continuous monitoring & protection

Category C Assets

- Low Criticality Assets
- Online periodic monitoring only or distributed protection & monitoring

Category D Assets

- Balance of Plant
- Offline periodic monitoring using portable devices

Package	Online Continuous Monitoring & Protection ¹	Shared Monitoring & Protection or Dedicated Scanning & Process CM ²	Shared Scanning CM or dedicated distributed solution ³	Offline Portable ⁴	Replication	Static Data Import/Export	Modbus Import	Waveform Export
Asset A	✓	✓	✓	✓				
Asset B		✓	✓	✓				
Asset C			✓	✓				
Asset D				✓				
CMS Core						✓	✓	
IIoT Integration					✓			✓

¹ Dedicated 3500 rack

² Typically shared 3500 rack or dedicated Orbit DCM/vbOnline Pro/TrendMaster

³ Typically 2300/1900/Ranger Pro or shared Orbit DCM/vbOnline Pro/TrendMaster

⁴ SCOUT and vbX Series portables for offline periodic monitoring

Asset-Based Packages			
Perpetual		Subscription	
3071/75 System 1 Asset Package		3072/75 System 1 Asset Package	
A: Category A Assets		A: Purchase Type	
Qty #	0 ->n	01	New(First time purchase)
B: Category B Assets		02	Renewal
Qty #	0 ->n	B: Term (Subscription Term in Years)	
C: Category C Assets		##	Numeric Entry (1 ->5 years)
Qty #	0 ->n	C: Category A Assets	

Asset-Based Packages			
Perpetual		Subscription	
D: Category D Assets		Qty #	0 ->n
Qty #	0 ->n	D: Category B Assets	
E: CMS Core		Qty #	0 ->n
00	Not Included	E: Category C Assets	
01	Included	Qty #	0 ->n
02	Expansion Order		
F: IIoT Integration Package		F: Category D Assets	
00	Not Included	Qty #	0 ->n
01	Included	G: CMS Core	
02	Expansion Order		
G: Quantity of Server Licenses		00	Not Included
##	Numeric Entry [1->25]	01	Included
00	Expansion Order Only	02	Expansion Order
H: Industry		H: IIoT Integration Package	
01	Oil & Gas Upstream	00	Not Included
02	Oil & Gas Midstream	01	Included
		02	Expansion Order
03	Oil & Gas Downstream	I: Quantity of Server Licenses	
04	Petrochemical	##	Numeric Entry [1->25]
		00	Expansion Order Only
05	LNG	J: Industry	
06	Power Gen - Thermal/Nuclear	01	Oil & Gas Upstream
07	Other Markets	02	Oil & Gas Midstream
08	Power Gen - Hydro	03	Oil & Gas Downstream
		04	Petrochemical
		05	LNG
		06	Power Gen - Thermal/Nuclear
		07	Other Markets
		08	Power Gen - Hydro

Industry-Based Packages



Industry-Based Packages are offered for General Industrials, Power Generation, and Wind Generation. Ordering is based off of application industry and size.

Package	Online Continuous CM	Scanning & Process CM	Portable CM	Replication	Performance	Alarm Event Data Export	Static Data Import/Export	Waveform Export	Ranger Pro
Industrial	✓	✓	✓			✓	✓		✓
Power Gen	✓	✓	✓			✓	✓		✓
Wind		✓				✓	✓		

General Industrial Package

General Industrial Package			
Perpetual		Subscription	
3071/70 System 1 for Industrials		3072/70 System 1 for Industrials	
A: Industry Type		A: Purchase Type	
01	Pulp and Paper	01	New (first time purchase)
02	Air Separation	02	Renewal
03	Sugar Production	B: Term (Subscription Term)	
04	Wastewater	##	Numeric Entry [1->5 years]
05	Drilling Rigs	C: Industry Type	
06	Steel Production	01	Pulp and Paper
07	Food & Beverage	02	Air Separation
08	Manufacturing	03	Sugar Production
09	Pharmaceuticals	04	Wastewater
10	Marine Vessel	05	Drilling Rigs
11	Mining	06	Steel Production
B: Package Size		07	Food & Beverage
01	Small Database	08	Manufacturing
02	Medium Database	09	Pharmaceuticals
03	Large Database	10	Marine Vessel * add 11 option for mining
04	Extra Large Database	11	Mining
C: Quantity of Server Licenses		D: Package Size	
##	Numeric Entry [1 ->25]	01	Small Database
		02	Medium Database
		03	Large Database
		04	Extra Large Database
		E: Quantity of Server Licenses	
		##	Numeric Entry [1 ->25]



*Navy, Container Ship, LNG Transport, FSRU, etc. NOT applicable for FPSO, FSO, or FLNG vessels.

Power Generation Industrial Package


Power Generation Industrial Package			
Perpetual		Subscription	
3071/80 System 1 for Power Generation		3072/80 System 1 for Power Generation	
A: Package Option		A: Purchase Type	
01	New Order	01	New (first time purchase)
02	Expansion Order	02	Renewal
B: Plant Output (MW) - Not Fleet or Multi-Site		B: Term (Subscription term)	
##	Numeric Entry [0->30,000 MW]	##	Numeric Entry [1->5 years]
C: Quantity of Plant Server Licenses		C: Package Option	
##	Numeric Entry [1 ->25]	01	New Order
		02	Expansion Order
		D: Plant Output (MW) - Not Fleet or Multi-Site	
		##	Numeric Entry [0->30,000 MW]
		E: Quantity of Plant Server Licenses	
		##	Numeric Entry [1->25]




Note: It is not acceptable to use this license for multiple sites or an entire fleet.


Wind Generation Industrial Package

Wind Generation Industrial Package			
Perpetual		Subscription	
3071/84 System 1 for Wind Generation		3072/84 System 1 for Wind Generation	
A: Plant Output (MW)		A: Purchase Type	
##	Numeric Entry [7 ->1000 MW]	01	New (first time purchase)
B: Quantity of Server Licenses		02	Renewal
##	Numeric Entry [1 ->25]	B: Term (Subscription term in years)	
C: License Type		##	Numeric Entry [1, 2, 3, 4 or 5]
01	TX	C: MW Output of Wind Farm	
02	RX	##	Numeric Entry [7->1000 MW]
		D: Quantity of Server Licenses	
		##	Numeric Entry [1->25]
		C: License Type	
		01	TX
		02	RX

 It is acceptable to license multiple sites or an entire fleet using this part number, as long as an active M&S is in place or all of the sites or the entire fleet.

 This package includes data import for up to 200 vbOnline Pro devices. Separate device import licenses are not required.

Device-Based Packages



Device-Based Packages are ordered by base package, device type, and quantity. Base packages are:

System 1 Premium

Provides connectivity to all of Bently Nevada’s online devices, as well as process data sources. Select the System 1 Premium+ option to add support for portable data collectors.

System 1 Advanced

Provides connectivity to Bently Nevada’s scanning and wireless devices, as well as process data sources. Select the System 1 Advanced+ option to add support for portable data collectors.

System 1 Fundamental

Provides connectivity to Bently Nevada’s portable data collectors.

Package	Online Continuous CM	Scanning & Process CM	Portable CM	Replication	Performance
Premium+	✓	✓	✓		
Premium	✓	✓			
Advanced+		✓	✓		
Advanced		✓			
Fundamental			✓		
Replication				✓	
Performance					✓

System 1 Premium [Highly Critical]

Premium Package			
Perpetual		Subscription	
3071/10 System 1 Software Premium Package		3072/10 System 1 Software Premium Package	
A: Software Package		A: Purchase Type	
01	Premium Package	01	New (first time purchase)
02	Premium+ Package	02	Renewal

Premium Package			
Perpetual		Subscription	
B: Quantity of Display Clients		B: Term (Subscription Term in Years)	
01	Single Client Package	##	Numeric Entry (1 ->5 years)
05	Small Package [6 Clients]	C: Software Package	
10	Medium Package [11 Clients]	01	Premium Package
15	Unlimited Clients	02	Premium + Package
C: Quantity of Server Licenses		D: Quantity of Display Clients	
Qty #	1 ->n	01	Single Client Package
		05	Small Package [6 Clients]
		10	Medium Package [11 Clients]
		15	Unlimited Clients
		E: Quantity of Server Licenses	
		Qty #	1 ->n

System 1 Advanced [Critical]

Advanced Package			
Perpetual		Subscription	
3071/05 System 1 Software Advanced Package		3072/05 System 1 Software Advanced Package	
A: Software Package		A: Purchase Type	
01	Advanced Package	01	New (first time purchase)
02	Advanced+ Package	02	Renewal
B: Quantity of Display Clients		B: Term (Subscription Term in Years)	
01	Single Client Package	##	Numeric Entry (1 ->5 years)
05	Small Package [6 Clients]	C: Software Package	
10	Medium Package [11 Clients]	01	Advanced Package
15	Unlimited Clients	02	Advanced+ Package
C: Quantity of Server Licenses		D: Quantity of Display Clients	
Qty #	1 ->n	01	Single Client Package
		05	Small Package [6 Clients]
		10	Medium Package [11 Clients]
		15	Unlimited Clients
		E: Quantity of Server Licenses	
		Qty #	1 ->n

System 1 Fundamental [Less Critical]


Fundamental Package			
Perpetual		Subscription	
3071/01 System 1 Software Fundamental Package		3072/01 System 1 Software Fundamental Package	
A: Quantity of Display Clients		A: Purchase Type	
01	Single Client Package	01	New (first time purchase)
05	Small Package [6 Clients]	02	Renewal
10	Medium Package [11 Clients]	B: Term (Subscription Term in Years)	
15	Unlimited Clients	##	Numeric Entry (1 ->5 years)
B: Quantity of Server Licenses		C: Quantity of Display Clients	
Qty #	1->n	01	Single Client Package
		05	Small Package [6 Clients]
		10	Medium Package [11 Clients]
		15	Unlimited Clients
		D: Quantity of Server Licenses	
		Qty #	1->n

Device Ordering

3500 Series Device Import



Quantity (Qty) is the number of racks.

3500 Series Device Import			
Perpetual		Subscription	
3071/11 3500 Series Device Import		3072/11 3500 Series Device Import	
A: 3500 Devices - Turbomachinery		A: Purchase Type	
Qty #	0->n	01	New (first time purchase)
	Monitor turbomachinery and hydro turbine generators. Also monitor general purpose machines when slots available in device.	02	Renewal
B: 3500 Devices - General Machines		B: Term (subscription term in years)	




3500 Series Device Import			
Perpetual		Subscription	
Qty #	0 ->n	##	Numeric Entry (1 ->5 years)
	Monitor general purpose machines. Also monitor turbomachinery or reciprocating compressors when SUSD data not required.	C: 3500 Devices - Turbomachinery	
C: 3500 Devices - Recip Machines		Qty #	(Qty # 0->n)
Qty #	0 ->n	D: 3500 Devices - General Machines	
	Monitor reciprocating compressors. Also monitor turbomachinery and general purpose machines when slots available in device.	Qty #	(Qty # 0->n)
D: TDI Secure Devices [/42E /45E /PV]		E: 3500 Devices - Recip Machines	
Qty #	0 ->n	Qty #	(Qty # 0->n)
	Recommended for monitoring machines that cannot be natively connected to System 1 via standard devices (3rd party HW, Cyber, etc.) <ul style="list-style-type: none"> • 24Vib + 24 Process points + 4 Tachs 	F: TDI Secure Devices	
		Qty #	(Qty # 0->n)

Table 1: (A-C and E Options) 3500 Turbo, General, Recip and Hydro Racks






Type of Data	Monitor/Data	Description	AA	BB	CC
Supported Monitors	3500/22	TDI	X	X	X
	3500/25	Keyphasor	X	X	X
	3500/32	Relay 4-ch	X	X	X
	3500/33	Relay 16-ch	X	X	X
	3500/40	TSI	X	X	X
	3500/42	Extended TSI	X	X	X
	3500/44	Aeroderivative	X	X	X
	3500/45	Position	X	X	X
	3500/46	Hydro Turbine/Generator	X		
	3500/50	Tachometer	X	X	X
	3500/60-/61	Temperature	X	X	X
	3500/62	Process Variable	X	X	X
	3500/64	Dynamic Pressure	X	X	X
	3500/65	Temperature 16-ch	X	X	X
	3500/70	Recip Impulse/Velocity		X	X
	3500/72	Recip Rod Drop/Position		X	X
	3500/77	Recip Cylinder Pressure			X
Data Types	SUSD	Transient Data	X		X
	ALARM	Alarm Data	X	X	X
	WF	Waveform Data	X	X	X
	TRND	Trend Steady State	X	X	X


Orbit 60 Series Device Import

Orbit 60 Series Device Import			
Perpetual		Subscription	
3071/18 Orbit 60 Series Device Import		3072/18 Orbit 60 Series Device Import	
A: License		A: Purchase Type	
01	New License	01	New (first time purchase)
02	Existing License Transfer	02	Renewal
B: System Type		B: Term (subscription term in years)	
00	Category A - Continuous online protection	##	Numeric Entry (1 -> 5 years)
01	Category B - Periodic monitoring	C: License	
02	Category C - Plantwide monitoring	01	New License
C: System Size		02	Existing License Transfer
01	1-20 Dynamic and 6 Process	D: System Type	
02	21-40 Dynamic and 12 Process	00	Category A - Continuous online protection
03	41-60 Dynamic and 18 Process	01	Category B - Periodic monitoring
04	61-80+ Dynamic and 24+ Process	02	Category C - Plantwide monitoring
		E: System Size	
		01	1-20 Dynamic and 6 Process
		02	21-40 Dynamic and 12 Process
		03	41-60 Dynamic and 18 Process
		04	61-80+ Dynamic and 24+ Process

Condition Monitoring & Basic Protection Device

Condition Monitoring & Basic Protection Device Import			
Perpetual		Subscription	
3071/13 Condition Monitoring & Basic Protection Device		3072/13 Condition Monitoring & Basic Protection Device	
A: Orbit DCM/vbOnline Pro Monitoring Device		A: Purchase Type	
Qty #	0 ->n	01	New (first time purchase)

Condition Monitoring & Basic Protection Device Import			
Perpetual		Subscription	
	Orbit DCM <ul style="list-style-type: none"> • 16 Channel Vibration + 4 Keyphasors • Trend static and waveform data • High Resolution Alarm Data Capture • Transient Data Capture 		
	vbOnline Pro <ul style="list-style-type: none"> • 12 simultaneous monitoring points + 2 tachs • 30 sec trend / 10 min waveform data capture • Simultaneous Alarm Snapshot (1 per 30 sec) 	02	Renewal
B: 2300 Monitoring Device		B: Term (Subscription term in years)	
Qty #	0 ->n	##	Numeric Entry (1 -> 5 years)
	<ul style="list-style-type: none"> • 2 simultaneous monitoring points + 1 tach • 1 sec trend / 10 min waveform data capture 	C: Orbit DCM/vbOnline Pro Devices	
C: Ranger Pro Device		Qty #	(Qty #0->n)
Qty #	0 ->n	D: 2300 Series Monitoring Devices	
	<ul style="list-style-type: none"> • Single axis: 1 accel point + 1 temperature • Triaxial: 3 accel points + 1 temperature point • 10 min trend / 6 hour waveform data capture 	Qty #	(Qty #0->n)
D: Trendmaster TIMs		E: Ranger Pro Devices	
Qty #	0 ->n	Qty #	(Qty #0->n)
	Supported Cards <ul style="list-style-type: none"> • 149776-01 10/100 base T • 149776-02 Fiber Optic 	F: Trendmaster TIMs	

Condition Monitoring & Basic Protection Device Import			
Perpetual		Subscription	
		Qty #	(Qty #0->n)
	Supported Module and Point Types ProTIM (Programmable Transducer Interface Module) <ul style="list-style-type: none"> • Accel to Velocity Point • Low Frequency Accel to Velocity Point • Rack Buffer Output ProTIM • Temperature Point: 2-3 wire Platinum RTD • Temperature Point: 4 wire RTD • Speed Input: Keyphasor • Displacement Point • Pressure Point • Accel to Velocity with Enveloping 		
	FlexiTIM <ul style="list-style-type: none"> • Accel to Velocity FlexiTIM • 100 Ohm Platinum RTD FlexiTIM • J TC FlexiTIM • K TC FlexiTIM 	Qty #	0 ->n
	TIM <ul style="list-style-type: none"> • Displacement TIM • Keyphasor TIM • Process TIM • Rack Buffered Output TIM • Temperature - J TC Flexi TIM • Temperature - K TC Flexi TIM • Velocity TIM 		
	1900 Monitors <ul style="list-style-type: none"> • 1900/25 Velocity Monitor • 1900/55 Fan Monitor 		

Process Data Import

Process Data Import			
Perpetual		Subscription	
3071/14 Process Data Import		3072/14 Process Data Import	
A:OPC DA / UA Server Import - Static/Waveform Data		A: Purchase Type	
Qty #	1->n	01	New (first time purchase)
	<ul style="list-style-type: none"> • OPC DA Includes up to 15,000 tags for a System 1 Server (max 15,000 combined OPC DA and Modbus) • Supports setpoints imported as OPC tags (Up to 60,000 tags) • 1 sec trend data capture 	02	Renewal
	<ul style="list-style-type: none"> • OPC UA Import includes up to 40,000 static tags, 2000 Asynch waveform tags • 1 sec static trend data capture • 10 minute waveform data capture 		
B:Modbus Import - Static Data		B: Term (Subscription term in years)	
Qty #	1->n	##	Numeric Entry (1->5 years)
	<ul style="list-style-type: none"> • Includes up to 200 Modbus devices • Includes up to 15,000 tags for a System 1 Server (max 15,000 combined OPC DA and Modbus) • Supports Dynamic Setpoints (Up to 30,000 tags) (Postgres Database only) • 1 sec trend data capture for process and Enum points • 200 ms collection rate for 20% of the Modbus points (Postgres Database only) 	C:OPC DA and OPC UAServer Import	
		Qty #	1->n
		D: Modbus Import	
		Qty #	1->n



Process Data Export

Process Data Export			
Perpetual		Subscription	
3071/15 Process Data Export		3072/15 Process Data Export	
A: OPC DA Server Export (1 per server) (Max 10,000 tags export supported)		A: Purchase Type	
Qty #	1->n	01	New (first time purchase)
	<ul style="list-style-type: none"> Export static data via OPC DA protocol for online tags for a SI server. Export rates configurable by client. 	02	Renewal
B: OPC UA Server Export - Waveforms (1 per server)		B: Term (Subscription term in years)	
Qty #	1->n	##	Numeric Entry (1->5 years)
	<ul style="list-style-type: none"> Maximum number of exported waveform tags per for a System 1 database is 3000 waveforms tags (combination of synchronous and asynchronous waveforms). Waveforms - 10 minute intervals or at device rate interval. 	C: OPC DA Server Export	
		Qty #	1->n
		D: OPC UA Server Export - Waveforms	
		Qty #	1->n
C: OPC UA Server Export - Static Data (1 per server)		E: OPC UA Server Export - Static Data	
Qty #	1->n	Qty #	1->n
	<ul style="list-style-type: none"> Static tags - 1 second interval or at device rate. 		
D: OPC UA Server Export - Alarm Events (1 per server)		F: OPC UA Server Export - Alarm Events	
Qty #	1->n	Qty #	1->n
	<ul style="list-style-type: none"> Events - exported as soon as new alarm events are logged in System 1. 		



It is recommended to meet the standard server specification for performing OPC UA export from five online portable databases on a single System 1 Server.



Database Replication

Database Replication			
Perpetual		Subscription	
3071/16 System 1 Replication		3072/16 System 1 Replication	
A: Tx Server(s) (Total SW License Price of Tx Server)		A: Purchase Type	
##	Numeric entry (in local currency)	01	New (first time purchase)
	<ul style="list-style-type: none"> Conduit to move data to the business network Contains config info and connection to devices 	02	Renewal
B: Rx Server(s)		B: Term (Subscription term in years)	
Qty #	1 -> 8	##	Numeric Entry (1 ->5 years)
	<ul style="list-style-type: none"> Database mirroring S1 server on Plant Network Supports 80-90% of condition monitoring tasks 	C: Total SW License Price of Tx Server(s)	
		##	(Qty # 1->8)
		D: Quantity of Rx Server Licenses	
		##	(Qty # 1->8)



A standard server specification can support one to five replications. For six to eight replications, it is recommended to have SSD on the Rx server.

Performance Monitoring

Performance Monitoring			
Perpetual		Subscription	
3071/17 System 1 Performance		3072/17 System 1 Performance	
A: Complex Machines		A: Purchase Type	
Qty #	0 ->n	01	New (first time purchase)
	Expander Recompressor, Gas Turbine, Side Stream Compressor Counts per stage/casing	02	Renewal
B: Simple Machines		B: Term (Subscription term in years)	
Qty #	0 ->n	##	Numeric Entry (1 ->5 years)
	Pump, Compressor, Steam Turbine, Fan, Expander, Generator, Heat Exchanger	C: Complex Machines	
		Qty #	0 ->n
C: S1 Servers with Performance (Excel licenses)		D: Simple Machines	
Qty #	0 ->n	Qty #	0 ->n
		E: S1 Servers with Performance	
D: Not Applicable		Qty #	0 ->n
Qty #	0	F : Not Applicable	
E. Purchase Type		Qty #	0
01	New	G. Industry	
02	Expansion	00	Baseline
F. Industry		01	O&G Upstream
00	Baseline	02	O&G Midstream
01	O&G Upstream	03	O&G Downstream
02	O&G Midstream	04	Petrochemical
03	O&G Downstream	05	LNG Liquefaction
04	Petrochemical	06	Power Gen Nuclear/Thermal
05	LNG Liquefaction	07	Other Markets
06	Power Gen Nuclear/Thermal	08	Power Gen Hydro
07	Other Markets		
08	Power Gen Hydro		

Decision Support Analytics

Decision Support Analytics			
Perpetual		Subscription	
3071/53 Decision Support Analytics		3072/53 Decision Support Analytics	
A: Qty of CAT-A Assets		A: Purchase Type	
Qty #	0 ->n	01	New (first time purchase)
B: Qty of CAT-B Assets		02	Renewal
Qty #	0 ->n	B: Terms (Years)	
C: Qty of CAT-C Assets (future)		##	Numeric Entry (1 ->5 years)
Qty #	0	C: Qty of CAT-A Assets	
D: Qty of CAT-D Assets (future)		Qty #	0 ->n
Qty #	0	D: Qty of CAT-B Assets	
E: Functionality		Qty #	0 ->n
01	Decision Support Analytics	E: Qty of CAT-C Assets (future)	
F: Server/DB Qty		Qty #	0
Qty #	0 ->n	F: Qty of CAT-D Assets (future)	
G: Industry		Qty #	0
01	Oil & Gas Upstream	G: Functionality	
02	Oil & Gas Midstream	01	Decision Support Analytics
03	Oil & Gas Downstream	H: Server/DB Qty	
04	Petrochemical	Qty #	0 ->n
05	LNG Liquefaction	I: Industry	
06	Power Gen Nuclear/Thermal	01	Oil & Gas Upstream
07	Other Markets	02	Oil & Gas Midstream
08	Power Gen - Hydro	03	Oil & Gas Downstream
		04	Petrochemical
		05	LNG Liquefaction
		06	Power Gen Nuclear/Thermal
		07	Other Markets
		08	Power Gen - Hydro



Decision Support and Decision Support Analytics work only with databases using PostgreSQL. Decision Support applied to a targeted Rx server will support a maximum of 8 Rx replicated databases with a maximum of 10,000 results per database. Results may come from Decision Support analytics and / or custom analytics.

System 1 Expansion

System 1 Expansion			
Perpetual		Subscription	
3071/25 System 1 Software Expansion		3072/25 System 1 Software Expansion	
A: Package Upgrade		A: Purchase Type	
00	None	01	New (first Time Purchase)
01	Fundamental ->Advanced+	02	Renewal
02	Fundamental ->Premium+	B: Term (Subscription Term in Years)	
03	Advanced ->Advanced+	##	Numeric Entry (1 ->5 years)
04	Advanced ->Premium	C: Package Upgrade	
05	Advanced ->Premium+	00	None
06	Advanced+->Premium+	01	Fundamental->Advanced+
07	Premium -> Premium+	02	Fundamental->Premium+
B: Client Expansion		03	Advanced->Advanced+
00	None	04	Advanced->Premium
05	Small Package [6 Clients]	05	Advanced->Premium+
10	Medium Package [11 Clients]	06	Advanced+->Premium+
15	Unlimited Clients	07	Premium -> Premium+
C: Server License Expansion		D: Client Expansion	
00	None	00	None
01	Fundamental Server License	05	Small Package [6 Clients]
05	Advanced Server License	10	Medium Package [11 Clients]
10	Premium Server License	15	Unlimited Clients
		E: Server License Expansion	
		00	None
		01	Fundamental Server License
		05	Advanced Server License
		10	Premium Server License

Software Maintenance and Support (M&S)

System 1 Maintenance and Support (M&S) provides access to the latest platform upgrades through a simplified web portal interface.

- 24/7 technical support (regional specialists)
- Access to the latest software releases
 - Operating system updates
 - Cyber security patches
 - User-driven feature additions



System 1 version 6.x, Ascent and ADAPT.wind customers with active M&S qualify for an upgrade to the latest System 1 platform at no additional cost. To receive an upgrade, include product 3071/65.

Maintenance and Support

3071/20 System 1 Maintenance & Support

A: M&S Support Level

00	Basic Support
01	Essential Support
02	Premier Support
	Anti-virus Option (only in Premier Support)
	01 Symantec
	02 McAfee
	03 Total # of Computers

B: M&S Term

##	Numeric Entry (1 ->5 years)
----	-----------------------------

C: System 1 Products Covered under M&S Agreement

01	System 1 (3071)
02	System 1 (3060)
03	Enterprise Impact
04	ADRE SXP
05	Bently Balance

D: Total System 1 Software License Price

--	--

3071/20 System 1 Maintenance & Support

Software value at customer site to be covered by M&S Agreement

##	Numeric Entry [In Local Currency]
----	-----------------------------------

E: Customer Agreement Number (CAN)

##	Text Entry (Ex: CAN1631)
----	--------------------------

F: Software Contact First Name

##	Text Entry (Ex. John)
----	-----------------------

G: Software Contact Last Name

##	Text Entry (Ex: Smith)
----	------------------------

H: Software Contact Email Address

##	Text Entry (Ex. John.smith@bently.com)
----	--

I: M&S Order Type

01	New [New Customer]
----	--------------------

02	Renewal [Returning M&S Customer]
----	----------------------------------

03	Expansion [Pre-Existing M&S Customer adding additional software]
----	--



Seller may maintain a de-identified (anonymized/pseudonymized) copy of the Condition Monitoring system database for purposes of customer training and use case demonstrations, unless otherwise negotiated.

System 1 Software Platform Upgrade



System 1 version 6.x and Ascent customers with active M&S qualify for an upgrade to the latest System 1 platform at no additional cost. To receive an upgrade, include product 3071/65.

3071/65 System 1 Platform Upgrade

A: Customer Agreement Number (CAN)

##	Text entry [CAN#####]
----	-----------------------

B: Software Package Upgrade

01	System 1 v6.x
----	---------------

02	Ascent 2015
----	-------------

03	ADAPT.wind
----	------------

C: New Software Package

(Options 1-6 available for S1 v6.x upgrade, options 3-5 available for Ascent upgrade, and option 7 only for ADAPT.wind upgrade)

01	Premium+
----	----------

02	Premium
----	---------

03	Advanced+
----	-----------

04	Advanced
----	----------

05	Fundamental
----	-------------

06	Power Generation
----	------------------

07	Wind
----	------

08	Performance Monitoring
----	------------------------

09	Decision Support - Core
----	-------------------------

D: Quantity of Display Clients (not available for C options 08 or 09)

01	Single client
----	---------------

05	Small package (6 clients)
----	---------------------------

10	Medium package (11 clients)
----	-----------------------------

15	Unlimited Clients
----	-------------------

E: Quantity of Server Licenses (DAQs)

Qty #	1->n
-------	------

3071/65 System 1 Platform Upgrade

F: Historical Data Migration

01 Yes [System 1 v6.81+ and Ascent v2015]

02 No

G: Qty of 3500 Devices - Turbomachinery & Hydro (available for C options 01, 02, and 06 only)

Qty # Numeric entry [0->n]

H: Qty of 3500 Devices - General Machines (available for C options 01, 02, and 06 only)

Qty # Numeric entry [0->n]

I: Qty of 3500 Devices - Recip Machines (available for C options 01, 02, and 06 only)

Qty # Numeric entry [0->n]

J: Qty of TDI Secure Devices (available for C options 01, 02, and 06 only)

Qty # Numeric entry [0->n]

K: Qty of OPC DA/UA (Static Data) Import Licenses (1 per server) (available for C options 01-04 only)

Qty # Numeric entry [0->n]

L: Qty of OPC DA/UA (Static Data) Export Licenses (1 per server) (available for C options 01-04 only)

Qty # Numeric entry [0->n]

M: Qty of Trendmaster TIMs (equals 3071/13-DD) (available for C options 01-04 only)

Qty # Numeric entry [0->n]

N: Qty of Complex Machines (equals 3071/17-AA) (Performance Monitoring option only)

Qty # Numeric entry [0->n]

O: Qty of Simple Machines (equals 3071/17-BB) (Performance Monitoring option only)

Qty # Numeric entry [0->n]

P: Not Applicable

Qty # 0

Q: Total Plant/Wind Farm Output (Power Gen and Wind Only)

Qty # 1->n

R: Qty of Modbus Import (1 per server) (available for C options 01-04 only)

Qty # 1->n

3071/65 System 1 Platform Upgrade

S: Decision Support Analytics included (available for C option 09 only)

01	Yes
02	No


Accessories

BN Part Number	Title	Description
136M4565-01	System 1 Disk	Latest version of System 1 on DVD
117M5159-01	System 1 Languages Disk	Latest version of System 1 Languages on DVD
150M1856-01	Decision Support Disk	Latest version of Decision Support on DVD
125M9816-01	System 1 Performance Monitoring Disk	Latest version of System 1 Performance Monitoring on DVD



The 3071/30 System 1 Servers are now in a separate datasheet, see document 133M3049.

System 1 Classic Connector

Perpetual		Subscription	
3071/60 System 1 Classic Connector		3072/60 System 1 Classic Connector	
Qty #	1 ->n	A: Purchase Type	
 <p>Connect to legacy Bently Nevada Devices, including, TDXNet, 1701 FMIM (Trendmaster natively supported now)</p>		01	New (first time purchase)
		02	Renewal
		B: Term (Subscription term in years)	
		##	Numeric Entry (1 ->5 years)
		C: System 1 Classic Connector	
	Qty #	(Qty # 1 ->n)	Connect to legacy Bently Nevada Devices, including TDXNet, 1701 FMIM

Copyright 2023 Baker Hughes Company. All rights reserved.



Bently Nevada, System_1, Trendmaster, ADAPT, vbSeries, Ranger Pro, ADRE, and Orbit Logo are registered trademarks of Baker Hughes Company, in the United States and other countries. The Baker Hughes logo is a trademark of Baker Hughes Company. All other product and company names are trademarks of their respective holders. Use of the trademarks does not imply any affiliation with or endorsement by the respective holders.

Baker Hughes provides this information on an "as is" basis for general information purposes. Baker Hughes does not make any representation as to the accuracy or completeness of the information and makes no warranties of any kind, specific, implied or oral, to the fullest extent permissible by law, including those of merchantability and fitness for a particular purpose or use. Baker Hughes hereby disclaims any and all liability for any direct, indirect, consequential or special damages, claims for lost profits, or third party claims arising from the use of the information, whether a claim is asserted in contract, tort, or otherwise. Baker Hughes reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. Contact your Baker Hughes representative for the most current information.

The information contained in this document is the property of Baker Hughes and its affiliates; and is subject to change without prior notice. It is being supplied as a service to our customers and may not be altered or its content repackaged without the express written consent of Baker Hughes. This product or associated products may be covered by one or more patents. See [Bentley.com/legal](https://www.bentley.com/legal).

1631 Bently Parkway South, Minden, Nevada USA 89423
Phone: 1.775.782.3611 (US) or [Bentley.com/support](https://www.bentley.com/support)
[Bentley.com](https://www.bentley.com)